



THE SHARP COLLECTION
WET ROOM SOLUTIONS



Product Catalogue
Rev 0819

About Us















Established in 2003, Wet Room Materials is a company that specialises in the foundation systems of a wet room. Our portfolio includes a wide range of wet room drains, slopes, waterproofing membranes and glass screens that have been designed for the demands of a wet room. Our superior quality, innovation and passionate customer service team have been the hallmark of our success.

The Sharp Collection

The Sharp Collection is an exclusive range of wet room systems that are designed to be highly flexible, easy to install and can overcome the most complex construction challenges.

Whether you are looking for a minimalistic design with an invisible tile insert finish, seamless poured floor or a touch of extravagance with a wide selection of coloured grates; The Sharp Collection allows you to create the wet room of your dreams.


All products are designed and manufactured by a professional team who have extensive knowledge of wet rooms and their requirements. Only materials of the highest quality are used and all our products come with a 10 year guarantee.

 WOODEN CONCRETE FLOOR	The product is suitable for both a wooden and concrete floor	 10mm TOUGH GLASS	Safety Toughened Glass. 10mm thick for a high quality finish
 DURABLE COATED PROTECTION	All of our colours are PVD coated providing a durable long lasting finish	 40mm PIPE OUTLET	Suitable for 40mm pipework. Adaptors can be used if other sizes are required
 SMALL & LARGE TILES	Suitable for large and small tiles. Tiles must be a minimum of 8mm thick	 EASY TO CLEAN	Glass is Nano Tech coated to repel water and soap residue
 360° ROTATING OUTLET	Flexible installation as the outlet can be turned in any direction when connecting to the pipework	 30MM BOARD DEPTH	30mm is the maximum thickness of SharpSlope boards
 LITRES PER MINUTE	High capacity drains to ensure all water drains efficiently with no pooling	 EASY TO INSTALL	Every system is easy to install and is supplied with a comprehensive installation guide
 DRAIN UNDER TILES	Tiles and grouts can absorb water, even if a waterproof grout is used. The system allows for any water under the tiles to drain away safely	 UNDER FLOOR HEATING	All products are suitable with underfloor heating. We recommend our SharpBoard which improves heat retention and eliminates downward heat loss
 50mm WATER SEAL	50mm water seal to prevent odour from coming through the drain and complies with EN 1253	 10 YEAR GUARANTEE	All products come with a 10 year guarantee




An innovative linear drain, designed specifically for poured floors such as Epoxy Resin and Micro Cement. This is a ground breaking design to cater for the requirements of poured floors.

Benefits



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
700	813	700	90	164	SDPF.0700
800	913	800	90	164	SDPF.0800
900	1013	900	90	164	SDPF.0900

Technical



Plumb in drain


Create fall

Adjust to floor

Waterproof

Pour floor

Optional Accessories



SharpBoard
Order Ref
Page 56

Lightweight high-density construction board designed for both walls and floors in wet rooms and bathrooms.



Wet Room Screed
Order Ref
WM226

Perfect for creating the wet room slope to your drain. Cement based, tension free and fibre reinforced screed which can work from 2mm thickness.



Tanking Kit
Order Ref
WMVS30K


Complete waterproofing kit, easy paint on application which is approved for wooden, cementitious, metal and plastic surfaces.



Hook
Order Ref
WM1840.0000

Used to lift grate and the trap from the drain.


High Performance Thermal Construction Board. A fast and durable way to create the walls and floor within your bathroom. SharpBoard can be fixed using cement based tile adhesive or mechanical fixes. Use LIPVS30 waterproofing to seal all joints and fixings to create 100% water tight surface.



In every bathroom or wet room construction, sufficient tanking should be installed in order to create a water tight area. Waterproofing membranes form the barrier between the finished floor surfaces and sub-floor components; preventing damage to other areas in the property.

1. Plywood boards recessed between floor joists and supported by batons fixed to joists
2. Stud wall with 400mm or 600mm centres. When using mosaic wall tiles 300mm stud centres are recommended for additional support
3. Adhesive applied onto ply. The thickness of the adhesive under SharpSlope and SharpBoard can be adjusted to allow for the top of the boards to be flush with each other
4. SharpSlope board installed onto adhesive on top of recessed plywood
5. SharpBoard fixed to studs with dry wall screws and washers. 20mm boards recommended for 400mm and 600mm stud centres, 12.5mm or 20mm can be used with 300mm stud centres. Use adhesive to apply to floor
6. Waterproofing membrane and reinforcement tape applied to all movement joints e.g. where the wall and floor meet as well as all joints between boards
7. Tile adhesive applied onto boards and waterproofing once waterproofing is completely dry
8. Tiles

Recommended Waterproofing Area Using Sharpboard - LIPVS30



Waterproofing Materials



SharpBoard 6mm Order Ref	SharpBoard 12.5mm Order Ref	SharpBoard 20mm Order Ref	Galvanised Washers Order Ref	Construction Glue Order Ref
SB06	SB12.5	SB20	SBGW50	WMCG

Lightweight high-density construction board designed for wet rooms and bathrooms.

- 1200 x 600mm
- Waterproof
- Insulation Properties improves heat retention
- Maximises underfloor heating performance
- Ideal for tiles, synthetic renders and decorative plaster

35mm Galvanised Washers to mechanically fix SharpBoard to walls and floors. 50 Washers per bag.

High performance adhesion that is water resistant.

- Required to fill gaps smaller than 5mm around boards and to bond tile / stone to tile insert



Waterproofing Materials



Wet Room Screed Order Ref	3kg Tanking Kit Order Ref	12kg Tanking Kit Order Ref	Installation Kit Order Ref	Reinforcement Tape Order Ref
WM226	WMVS10K	WMVS30K	WMIKU	WMT25

For creating slopes in a wet room.

- 20kg Bag
- Cement based, tension free and fibre reinforced screed
- Works from 2mm thickness
- Coverage 1.8kg per m2 at 1mm thickness

Easy Paint on application approved for wooden, cementitious, metal and plastic surfaces.

- EC1 Plus Approved
- Low emissions
- Primer
- 25m Tape
- 3kg Membrane
- Coverage 2sqm


Easy Paint on application approved for wooden, cementitious, metal and plastic surfaces.

- EC1 Plus Approved
- Low emissions
- Primer
- 25m Tape
- 12kg Membrane
- Coverage 8sqm

Designed for wet room and bathrooms.

- CE Approved, 20kg Wet Room tile adhesive – white
- 2 x Internal corner pieces for waterproofing reinforcement
- Bonding Glue
- Transparent silicone to seal joints once tiled

Reinforcement tape to be used with LIPVS30 on all joints and around first fixes. 25 metres of tape.



Internal Corner Ref	External Corner Ref
WMICP	WMECP

LIP preformed reinforcement tape is used to secure the internal/external corners. This is used with the LIP VS30.



Wet Room Materials UK
Derwentside
25 Town Street
Duffield
Belper
Derbyshire
DE56 4EH
England
+44 (0) 1332 840 820

Wet Room Materials Ireland
Unit E1
Ballymount Ind Est
Walkinstown
Dublin
Co. Dublin
D12 WR60
Ireland
+353 (0)1 297 3488

sales@wetroommaterials.com
www.wetroommaterials.com