

THE SHARP COLLECTION WET ROOM SOLUTIONS



Product Catalogue Rev 0819

Wet Room Materials | Product Benefits

About Us


Established in 2003, Wet Room Materials is a company that specialises in the foundation systems of a wet room. Our portfolio includes a wide range of the demands of a wet room. Our superior quality, innovation and passionate customer service team have been the hallmark of our success.

The Sharp Collection

The Sharp Collection is an exclusive range of wet room systems that are designed to be highly flexible,

floor or a touch of extravagance with a wide selection

professional team who have extensive knowledge of wet rooms and their requirements. Only materials of the highest quality are used and all our products come with a 10 year guarantee.



1/ //	10mm Tough Glass	Safety Toughened Glass. 10mm thick for c high quality finish	
0	40mm Pipe Outlet	Suitable for 40mm pipework. Adaptors can be used if other sizes are required	
	EASY To Clean	Glass is Nano Tech coated to repel water and soap residue	
	30MM Board Depth	30mm is the maximum thickness of SharpSlope boards	
	EASY To Install	Every system is easy to install and is supplied with a comprehensive installation guide	
	UNDER Floor Heating	All products are suitable with underfloor heating. We recommend our SharpBoard which improves heat retention and eliminates downward heat loss	
10 Years	10 Year Guarantee	All products come with a 10 year guarantee	

SharpDrain[®] | 360




Linear drain with tile insert which provides complete flexibility. SharpSlope 360 allows you to place the drain wherever you want and has a 360° rotation outlet for easy connection to 40mm pipework. Adjustable feet come as standard to allow you to vary the height of the drain. Factory fitted membrane for added waterproof protection.


Benefits







Optional Accessories



		SharpBoard Order Ref
226	WMIKU	Page 56

room slope to your drain. thickness.

Order Ref















1odel o.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
00	680	600	92	150	SD36.0600
00	780	700	92	150	SD36.0700
00	880	800	92	150	SD36.0800
00	980	900	92	150	SD36.0900
000	1080	1000	92	150	SD36.1000
200	1280	1200	92	150	SD36.1200
500	1580	1500	92	150	SD36.1500










Waterproofing a Wet Room

High Performance Thermal Construction Board. A fast and durable way to create the walls and floor within your bathroom. SharpBoard can be fixed using cement based tile adhesive or mechanical fixes. Use LIPVS30 waterproofing to seal all joints and fixings to create 100% water tight surface.



In every bathroom or wet room construction, sufficient tanking should be installed in order to create a water tight area. Waterproofing membranes form the barrier between the finished floor surfaces and sub-floor components; preventing damage to other areas in the property.

- 1. Plywood boards recessed between floor joists and supported by batons fixed to joists
- 2. Stud wall with 400mm or 600mm centres. When using mosaic wall tiles 300mm stud centres are recommended for additional support
- 3. Adhesive applied onto ply. The thickness of the adhesive under SharpSlope and SharpBoard can be adjusted to allow for the top of the boards to be flush with each other
- 4. SharpSlope board installed onto adhesive on top of recessed plywood
- SharpBoard fixed to studs with dry wall screws and washers. 20mm boards recommended for 400mm and 600mm stud centres, 12.5mm or 20mm can be used with 300mm stud centres. Use adhesive to apply to floor
- 6. Waterproofing membrane and reinforcement tape applied to all movement joints e.g. where the wall and floor meet as well as all joints between boards
- Tile adhesive applied onto boards and waterproofing once waterproofing is completely dry
- 8. Tiles

Waterproofing Materials



SharpBoard 6mm Order Ref	SharpBoard 12.5mm Order Ref	SharpBoard 20mm Order Ref	Galvanised Washers Order Ref	Construction Glue Order Ref
SB06	SB12.5	SB20	SBGW50	WMCG


Lightweight high-density construction board designed for wet rooms and bathrooms.

- 1200 x 600mm
- Waterproof
- Insulation Properties improves heat retention
- Maximises underfloor heating performance
- Ideal for tiles, synthetic renders and decorative plaster




- rs High performance adhesion that is water resistant.Required to fill gaps
 - smaller than 5mp around boards and to bond tile / stone to tile insert

Waterproofing Materials





56



		ELT MARKET	
	Installation Kit Order Ref	Reinforcement Tape Order Ref	
	WMIKU	WMT25	
pplication rooden, netal and s.	Designed for wet room and bathrooms. • CE Approved, 20kg Wet	Reinforcement tape to be used with LIPVS30 on all joints and around first fixes. 25 metres of tape.	
roved 1s	Room tile adhesive – white • 2 x Internal corner pieces for waterproofing		
ane qm	reinforcement • Bonding Glue • Transparent silicone to seal joints once tiled	Internal External Corner Ref Corner Ref WMICP WMECP	
		LIP preformed reinforcement tape is used to secure the internal/ external corners. This is used with the LIP VS30.	



Wet Room Materials UK Derwentside 25 Town Street Duffield Belper Derbyshire DE56 4EH England +44 (0) 1332 840 820 Wet Room Materials Ireland Unit E1 Ballymount Ind Est Walkinstown Dublin Co. Dublin D12 WR60 Ireland +353 (0)1 297 3488