



THE SHARP COLLECTION

SCANDINAVIAN WETROOM SOLUTIONS





About Us

WM | Wetroom Materials was established in 2003 and specialises in the foundation systems of a wetroom. Our portfolio includes a wide range of wetroom drains, slopes, waterproofing membranes that have been designed for the demands of a wetroom. Our superior quality, innovation and passionate customer service team have been the hallmark of our success.

The Sharp Collection

The Sharp Collection is an exclusive range of wetroom systems that are designed to be highly flexible, easy to install and can overcome the most complex construction challenges.

Whether you are looking for a minimalistic design with an invisible tile insert finish, seamless poured floor or a touch of extravagance with a wide selection of coloured grates; The Sharp Collection allows you to create the wetroom of your dreams.

All products are designed and manufactured by a professional team who have extensive knowledge of wetrooms and their requirements. Only materials of the highest quality are used and all our products come with a 10 year guarantee.



Contents

About Us	1
Installation Service	4
Product Benefits	7
Product Features	9
Gallery	10
SharpSlope®	Linear Tile Insert 32
	Linear Panel 34
	Square Tile Insert 36
	Square Panel 38
SharpDrain®	Linear Tile Insert 40
	Linear Panel 42
	Linear Tile Line 44
AptLine®	Linear 46
SharpDrain®	Linear 360 48
PourFlex®	Linear 50
SharpDrain®	Square Horizontal Tile Insert 52
	Square Horizontal Panel 54
	Square Vertical Tile Insert 56
	Square Vertical Panel 58
	Vinyl Horizontal 60
	Vinyl Vertical 62
	Bracing Bar 64
	U Channel 65
Accessories	66
Wetroom Foundations	68
Technical SharpSlope®	70
Technical SharpDrain®	72
Gallery	74

Waterproofing Installation Service With A 10 Year No Leak Guarantee

- We provide a 10 year no leak guarantee on all waterproofing installations
- Experts in wetroom design, specification and installation
- Our products are BBA, ETAG, EC1 Plus, CE approved and comply with building regulations
- Products are designed for wetrooms and approved by the highest construction bodies around the world
- Professional installation team specialising in wetrooms and waterproofing
- Our installers have been trained to the best working Scandinavian practices
- Team arrive on site to suit your schedule and complete work within planned time frame
- Trusted by Architects, Developers, Builders and Retailers throughout the UK and Ireland
- Peace of mind with our 10 year no leak guarantee

Professional installation
Quality approved materials



We only use market leading products that are designed for wetrooms and have been approved by the highest construction standards in the industry. All our installers are professionals in waterproofing and have been trained and certified in Scandinavia. This not only allows us to guarantee against leaks for 10 years but also guarantees the performance and longevity of the wetroom.



Our installation process

- 1. Specification of the best solution and dedicated project manager**
We will assist in recommending the optimum wetroom foundation products
- 2. Site survey**
We will provide guidelines on the correct room preparation
- 3. Slope installation**
Using either our SharpSlope® board or our specialist screed we will create the correct slope to the drain
- 4. Waterproofing with 10 year no leak guarantee**
Priming of areas to be waterproofed
Reinforcement of weak areas and joints
Installation of waterproofing membrane





Product Benefits



10 YEAR
WARRANTY



100%
WATERPROOF



EASY
INSTALLATION




EASY
TO CLEAN



UNDERFLOOR
HEATING



WOODEN
FLOOR




CONCRETE
FLOOR



Product Features

1. 2 in 1 panel/tile insert
2. Water tight gasket seal
3. Stainless steel linear drain
4. 360 degree rotating outlet/fitting aid
5. Light weight, hard wearing top coat designed to resist impact. Suitable for all tiles (over 8mm thick)
6. Can be cut to size
7. Construction glue and waterproofing membrane



Large range of PVD durable finishes



Tile Insert

Stainless Steel

Black

Brass

Nickel

Bronze
























Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



Kit Includes

- 36 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert
- Construction Glue
- Waterproofing Kit



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN




UNDERFLOOR
HEATING



WOODEN
FLOOR




CONCRETE
FLOOR



*Can be trimmed

Size	A	B	Board Thickness	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
900 x 1200			30mm	SL.0912SS	SL.0912BL	SL.0912BS	SL.0912NI	SL.0912BZ
900 x 1500			30mm	SL.0915SS	SL.0915BL	SL.0915BS	SL.0915NI	SL.0915BZ
1500 x 900			30mm	SL.1509SS	SL.1509BL	SL.1509BS	SL.1509NI	SL.1509BZ
1800 x 750			30mm	SL.1807SS	SL.1807BL	SL.1807BS	SL.1807NI	SL.1807BZ
1000 x 1800			30mm	SL.1018SS	SL.1018BL	SL.1018BS	SL.1018NI	SL.1018BZ



Drain Fitting Aid
Order Ref
WMDFA



Installation Kit
Order Ref
WMIKU



Vertical Outlet
Order Ref
WMSLVO



Cleaning Hook
Order Ref
WM1840.0000

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN




UNDERFLOOR
HEATING



WOODEN
FLOOR




CONCRETE
FLOOR




*Can be trimmed

Kit Includes

- 36 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Frame & Panel
- Construction Glue
- Waterproofing Kit



Size		Board Thickness					
A	B		Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
900 x 1200		30mm	SL.0912SS	SL.0912BL	SL.0912BS	SL.0912NI	SL.0912BZ
900 x 1500		30mm	SL.0915SS	SL.0915BL	SL.0915BS	SL.0915NI	SL.0915BZ
1500 x 900		30mm	SL.1509SS	SL.1509BL	SL.1509BS	SL.1509NI	SL.1509BZ
1800 x 750		30mm	SL.1807SS	SL.1807BL	SL.1807BS	SL.1807NI	SL.1807BZ
1000 x 1800		30mm	SL.1018SS	SL.1018BL	SL.1018BS	SL.1018NI	SL.1018BZ



Drain Fitting Aid
Order Ref
WMDF A



Installation Kit
Order Ref
WMIKU



Vertical Outlet
Order Ref
WMSLVO




Cleaning Hook
Order Ref
WM1840.0000

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.




Kit Includes

- 42 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert
- Construction Glue
- Waterproofing Kit



Size		Board Thickness					
A	B		Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
900 x 900		22mm	SS.0909SS	SS.0909BL	SS.0909BS	SS.0909NI	SS.0909BZ
1000 x 1000		22mm	SS.1010SS	SS.1010BL	SS.1010BS	SS.1010NI	SS.1010BZ
900 x 1200		22mm	SS.0912SS	SS.0912BL	SS.0912BS	SS.0912NI	SS.0912BZ
900 x 1500		27mm	SS.0915SS	SS.0915BL	SS.0915BS	SS.0915NI	SS.0915BZ
1500 x 1500		27mm	SS.1515SS	SS.1515BL	SS.1515BS	SS.1515NI	SS.1515BZ
900 x 1800		30mm	SS.0918SS	SS.0918BL	SS.0918BS	SS.0918NI	SS.0918BZ



Drain Fitting Aid
Order Ref
WMDF



Installation Kit
Order Ref
WMIKU




Vertical Outlet
Order Ref
WMSSVO





Cleaning Hook
Order Ref
WM1840.0000


Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.






100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION


EASY
TO CLEAN


UNDERFLOOR
HEATING


WOODEN
FLOOR



CONCRETE
FLOOR





Kit Includes


- 42 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Frame & Panel
- Construction Glue
- Waterproofing Kit




Size		Board Thickness						
A	B		Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
900	900	22mm	SS.0909FG	SS.0909SS	SS.0909BL	SS.0909BS	SS.0909NI	SS.0909BZ
1000	1000	22mm	SS.1010FG	SS.1010SS	SS.1010BL	SS.1010BS	SS.1010NI	SS.1010BZ
900	1200	22mm	SS.0912FG	SS.0912SS	SS.0912BL	SS.0912BS	SS.0912NI	SS.0912BZ
900	1500	27mm	SS.0915FG	SS.0915SS	SS.0915BL	SS.0915BS	SS.0915NI	SS.0915BZ
1500	1500	27mm	SS.1515FG	SS.1515SS	SS.1515BL	SS.1515BS	SS.1515NI	SS.1515BZ
900	1800	30mm	SS.0918FG	SS.0918SS	SS.0918BL	SS.0918BS	SS.0918NI	SS.0918BZ


Drain Fitting Aid
Order Ref
WMDF A


Installation Kit
Order Ref
WMIKU


Vertical Outlet
Order Ref
WMSSVO


Cleaning Hook
Order Ref
WM1840.0000

SharpDrain® | Linear Tile Insert

Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Factory fitted membrane for added waterproof protection.



Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Tile Insert
- 330mm Factory Fitted Membrane
- PVD Coated Colours



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
600	633	600	72	SDTP.0600	SDTP.0600BL	SDTP.0600BS	SDTP.0600NI	SDTP.0600BZ
700	733	700	72	SDTP.0700	SDTP.0700BL	SDTP.0700BS	SDTP.0700NI	SDTP.0700BZ
800	833	800	72	SDTP.0800	SDTP.0800BL	SDTP.0800BS	SDTP.0800NI	SDTP.0800BZ
900	933	900	72	SDTP.0900	SDTP.0900BL	SDTP.0900BS	SDTP.0900NI	SDTP.0900BZ
1000	1033	1000	72	SDTP.1000	SDTP.1000BL	SDTP.1000BS	SDTP.1000NI	SDTP.1000BZ
1200	1233	1200	72	SDTP.1200	SDTP.1200BL	SDTP.1200BS	SDTP.1200NI	SDTP.1200BZ



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Factory fitted membrane for added waterproof protection.



Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Frame & Panel
- 330mm Factory Fitted Membrane
- PVD Coated Colours



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
600	633	600	72	SDTP.0600	SDTP.0600BL	SDTP.0600BS	SDTP.0600NI	SDTP.0600BZ
700	733	700	72	SDTP.0700	SDTP.0700BL	SDTP.0700BS	SDTP.0700NI	SDTP.0700BZ
800	833	800	72	SDTP.0800	SDTP.0800BL	SDTP.0800BS	SDTP.0800NI	SDTP.0800BZ
900	933	900	72	SDTP.0900	SDTP.0900BL	SDTP.0900BS	SDTP.0900NI	SDTP.0900BZ
1000	1033	1000	72	SDTP.1000	SDTP.1000BL	SDTP.1000BS	SDTP.1000NI	SDTP.1000BZ
1200	1233	1200	72	SDTP.1200	SDTP.1200BL	SDTP.1200BS	SDTP.1200NI	SDTP.1200BZ



Installation Kit
Order Ref
WMIKU




Cleaning Hook
Order Ref
WM1840.0000


Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Tile Line allows you to glue a tile onto the drain with no visible metal. Factory fitted membrane for added waterproof protection.



Plan View



Side View



Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Tile Base
- 330mm Factory Fitted Membrane



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
600	633	600	72	86	SDTL.0600
700	733	700	72	86	SDTL.0700
800	833	800	72	86	SDTL.0800
900	933	900	72	86	SDTL.0900
1000	1033	1000	72	86	SDTL.1000
1200	1233	1200	72	86	SDTL.1200



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

Unique system which provides ultimate flexibility. Metal drain and panel finish can be trimmed to size. Outlet can be offset, height adjusted and is 360° rotational. Option of Polished or Brushed Stainless Steel panel. Suitable for any floor finish.



Kit Includes

- 48 Litres Per Minute
- 360° Outlet – 1½" Connection
- 50mm Water Seal
- Installation Feet
- Trimming & Tiling Guide
- Polished or Brushed Adjustable Panel
- 3.5m Membrane and Glue



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Brushed Steel Kit Order Ref	Polished Steel Kit Order Ref	Tiled Kit Order Ref
800	870–350	800–350	85–105	WMAL.0800SS	WMAL.0800PS	WMAL.0800T
1000	1070–800	1000–800	85–105	WMAL.1000SS	WMAL.1000PS	WMAL.1000T


Ultimate Flexibility



Can be trimmed to size



Cut down to offset outlet



Outlet rotation and depth adjustment



Adjustable Panel height to suit floor finish.



Cleaning Hook
Order Ref
WM1840.0000

An innovative linear drain, designed specifically for poured floors such as Epoxy Resin and Micro Cement. This is a ground breaking design to cater for the requirements of poured floors. PourFlex® allows you to alter the height of the drain to suit the floor thickness.



Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- PourFlex® Panel



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
700	813	700	90	164	SDPF.0700
800	913	800	90	164	SDPF.0800
900	1013	900	90	164	SDPF.0900


Technical



Plumb in drain



Create fall



Adjust to floor



Waterproof



Pour floor



Cleaning Hook
Order Ref
WM1840.0000

Minimum floor depth (76mm) square drain which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for areas that have little floor depth available. Tile Inserts are available as Brushed Stainless Steel or PVD coated colours.



Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Tile Insert
- PVD Coloured Finishes



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)					
				Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
76	197	145 x 145	76	SDSD.0076SS	SDSD.0076BL	SDSD.0076BS	SDSD.0076NI	SDSD.0076BZ



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU




Cleaning Hook
Order Ref
WM1840.0000

Minimum floor depth (76mm) square drain which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for areas that have little floor depth available. Panels are available as Brushed Stainless Steel or PVD coated colours.



Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Frame & Grate - Panel
- PVD Colour Finishes



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)						
				Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
76	197	145 x 145	76	SDSD.0076FG	SDSD.0076SS	SDSD.0076BL	SDSD.0076BS	SDSD.0076NI	SDSD.0076BZ



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

A vertical drain with an overall depth 230mm, which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for projects that require a slim drain. Change a slim drain to a vertical connection. Tile Inserts are available as Brushed Stainless Steel or PVD coated colours.



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Tile Insert
- PVD Colour Finishes



Also available in
110mm Pipework

Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	 Steel Tile Insert Kit Order Ref	 Black Tile Insert Kit Order Ref	 Brass Tile Insert Kit Order Ref	 Nickel Tile Insert Kit Order Ref	 Bronze Tile Insert Kit Order Ref
189	197	145 x 145	230	SDSD.0189SS	SDSD.0189BL	SDSD.0189BS	SDSD.0189NI	SDSD.0189BZ



110 Tile Insert
Order Ref
SDSD.0110SS



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

A vertical drain with an overall depth 230mm, which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for projects that require a vertical connection. Panels are available as Brushed Stainless Steel or PVD coated colours.



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Frame & Grate - Panel
- PVD Colour Finishes



Also available in 110mm Pipework

Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)						
189	197	145 x 145	230	SDSD.0189FG	SDSD.0189SS	SDSD.0189BL	SDSD.0189BS	SDSD.0189NI	SDSD.0189BZ



110 Tile Insert
Order Ref
SDSD.0110SS



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

SharpDrain® | Vinyl Horizontal

Minimum floor depth (76mm) plastic vinyl horizontal drain which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for areas that have little floor depth available. The clamping ring securely holds the vinyl in place. Available with a white plastic or Brushed Stainless Steel Grate.



Kit Includes

- 48 Litres Per Minute
- Vinyl Drain with Clamping Ring
- 1½" Connection
- Anti Odour Barrier
- Plastic or Steel Grate



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Plastic Grate Kit Order Ref	Steel Grate Kit Order Ref
76	197	130 x 130	76	SDSD.0076PGV	SDSD.0076SGV



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000

A vertical drain with an overall depth 230mm, which can be installed anywhere in a wetroom or be used as secondary drainage. The clamping ring securely holds the vinyl in place. Available with a white plastic or Brushed Stainless Steel Grate.



100%
WATERPROOF



10 YEAR
WARRANTY



EASY
INSTALLATION



EASY
TO CLEAN



UNDERFLOOR
HEATING




WOODEN
FLOOR




CONCRETE
FLOOR

Plan View



Side View



Kit Includes

- 48 Litres Per Minute
- Vinyl Drain with Clamping Ring
- 1½" Connection
- Anti Odour Barrier
- Plastic or Steel Grate



Also available in
110mm Pipework



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Plastic Grate Kit Order Ref	Steel Grate Kit Order Ref
189	197	130 x 130	230	SDSD.0189PGV	SDSD.0189SGV



110 Tile Insert
Order Ref
SDSD.0110SS



Mounting Set
Order Ref
SDMS



Installation Kit
Order Ref
WMIKU



Cleaning Hook
Order Ref
WM1840.0000


Bracing Bars are PVD coated to compliment both the SharpSlope and SharpDrain range. Stainless Steel U channels can be recessed into the floor or fixed to the tiles.



Bracing Bar




Bracing Bar Length	Steel Kit Order Ref	Black Kit Order Ref	Brass Kit Order Ref	Nickel Kit Order Ref	Bronze Kit Order Ref
1000	SSBB.10SS	SSBB.10BL	SSBB.10BS	SSBB.10NI	SSBB.10BZ



U Channel

Length	Kit Order Ref
2500	SSUC.2500




	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>12kg Tanking Kit</div><div>Kit includes: Waterproofing Membrane 25m Reinforcement Tape 1Ltr Primer</div></div> <div><div>WMVS30K</div></div> <div><div>Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage 7-8sqm.</div><div><ul style="list-style-type: none">• EC1 Plus Approved• Low emissions• Primer, 25m tape and membrane</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>3kg Tanking Kit</div><div>Kit includes: Waterproofing Membrane 25m Reinforcement Tape 1Ltr Primer</div></div> <div><div>WMVS10K</div></div> <div><div>Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage 2sqm.</div><div><ul style="list-style-type: none">• EC1 Plus Approved• Low emissions• Primer, 25m tape and membrane</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Reinforcement Tape</div></div> <div><div>WMT25</div></div> <div><div>Reinforcement tape to be used with LIPVS30 on all joints and around first fixes. 25 metres of tape.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Internal Corner Ref</div></div> <div><div>WMICP</div></div> <div><div>LIP preformed reinforcement tape is used to secure the internal corners. This is used with LIP VS30.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>External Corner Ref</div></div> <div><div>WMECP</div></div> <div><div>LIP preformed reinforcement tape is used to secure the external corners. This is used with LIP VS30.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Installation Kit</div></div> <div><div>WMIKU</div></div> <div><div>Designed for wetrooms and bathrooms.</div><div><ul style="list-style-type: none">• CE Approved, 20kg wetroom tile adhesive – white• 2 x Internal corner pieces for waterproofing reinforcement• Bonding Glue• Transparent silicone to seal joints once tiled</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Wetroom Screed</div></div> <div><div>WM226</div></div> <div><div>For creating slopes in a wetroom.</div><div><ul style="list-style-type: none">• 20kg Bag• Cement based, tension free and fibre reinforced screed• Works from 2mm thickness• Coverage 1.8kg per m2 at 1mm thickness</div></div>

	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Construction Glue</div></div> <div><div>WMCG</div></div> <div><div>High performance adhesion that is water resistant.</div><div><ul style="list-style-type: none">• Required to fill gaps smaller than 5mm around boards and to bond tile / stone to tile insert</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Galvanised Washers</div></div> <div><div>SBGW100</div></div> <div><div>35mm Galvanised Washers to mechanically fix SharpBoard® to walls and floors. 100 Washers per bag.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>SharpBoard® 6mm</div><div>SharpBoard® 10mm</div><div>SharpBoard® 12.5mm</div><div>SharpBoard® 20mm</div></div> <div><div>SB06</div><div>SB10</div><div>SB12.5</div><div>SB20</div></div> <div><div>Lightweight high-density construction board designed for wetrooms and bathrooms.</div><div><ul style="list-style-type: none">• 1200 x 600mm• Waterproof• Insulation Properties improves heat retention• Maximises underfloor heating performance• Ideal for tiles, synthetic renders and decorative plaster</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>SharpSlope® Linear Vertical Outlet</div></div> <div><div>WMSLVO</div></div> <div><div>Vertical outlet for SharpSlope® Linear. When ordering SharpSlope® Linear, the outlet can be swapped to vertical by requesting when placing the order.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>SharpSlope® Square Vertical Outlet</div></div> <div><div>WMSSVO</div></div> <div><div>Vertical outlet for SharpSlope® Square. When ordering SharpSlope® Square, the outlet can be swapped to vertical by requesting when placing the order.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>SharpDrain® 360 Vertical Outlet</div></div> <div><div>WMSDVO</div></div> <div><div>Vertical outlet for SharpDrain® 360. When ordering SharpDrain® 360, the outlet can be swapped to vertical by requesting when placing the order.</div></div>
	<div><div>Product Name</div><div>Order Reference</div><div>Description</div></div>	<div><div>Cleaning Hook</div></div> <div><div>WM1840.0000</div></div> <div><div>To lift drain cover and the trap from the outlet for cleaning.</div></div>


In every bathroom or wetroom construction, sufficient tanking should be installed in order to create a water tight area. Waterproofing membranes form the barrier between the finished floor surfaces and sub-floor components; preventing damage to other areas in the property.

- 1** Plywood boards recessed between floor joists and supported by batons fixed to joists
- 2** Stud wall with 400mm or 600mm centres. When using mosaic wall tiles 300mm stud centres are recommended for additional support
- 3** Adhesive applied onto ply. The thickness of the adhesive under SharpSlope® and SharpBoard® can be adjusted to allow for the top of the boards to be flush with each other
- 4** SharpSlope® board installed onto adhesive on top of recessed plywood
- 5** SharpBoard® fixed to studs with dry wall screws and washers. 20mm boards recommended for 400mm and 600mm stud centres, 12.5mm or 20mm can be used with 300mm stud centres. Use adhesive to apply to floor
- 6** Waterproofing membrane and reinforcement tape applied to all movement joints e.g. where the wall and floor meet as well as all joints between boards
- 7** Tile adhesive applied onto boards and waterproofing once waterproofing is completely dry
- 8** Tiles






Wooden Floor | Installation Video on www.wetroommaterials.com



Concrete Floor | Installation Video on www.wetroommaterials.com



Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Tile Insert and Panels are available as Brushed Stainless Steel or durable PVD coated colours. SharpDrain Tile Line has a base to apply the tile onto. Factory fitted membrane for added waterproof protection.

1



Screw the connector to the drain and make sure it is tight.

2



If using the polystyrene support, bed into adhesive.

3



If required, connect earth wire.

4



Connect pipework to the drain allowing for slope in pipe.

5



Slope the floor 1.25% to 2% to the drain.

6



Place fitted membrane into position.

7




Cut the corner where the membrane overlaps.

8



Using adhesive, apply membrane to floor & wall. Smooth to remove bumps.

9



Apply glue to the corners where the membrane was cut.

10



Stick plastic corner pieces onto the glue.

11



Waterproof remaining areas and tile the walls and floor.

12



If required, use heightening blocks to adjust the panel height to suit floor.

13



Place the Tile Insert / Panel / Tiled base into position.

14



Silicone or grout between the tile and the frame. Note required for Tile Line.

15



Grease the O rings on the drain before placing into the drain.



Scan to see SharpDrain Installation Video

















90



91





wm
wetroom materials

WM | Wetroom Materials

Derwentside
25 Town Street
Duffield
Belper
Derbyshire
DE56 4EH
England
+44 (0) 1332 840 820

sales@wetroommaterials.com
www.wetroommaterials.com

WM| Wetroom Materials Ireland

Unit E1
Ballymount Ind Est
Walkinstown
Dublin
Co. Dublin
D12 WR60
Ireland
+353 (0)1 297 3488