



**THE SHARP COLLECTION**  
SCANDINAVIAN WETROOM SOLUTIONS



**SharpSlope® SharpDrain®**

PRODUCT CATALOGUE  
REV 1223

# New to The Sharp Collection

## SharpDrain® Pro

New and improved SharpDrain with 360 rotating outlet. Offset outlet for tricky joists, The drain can be rotated to have the outlet offset on the opposite site. Factory fitted membrane for added waterproof protection. Available as Tile Line (no metal trim), Tile Insert or Brushed Stainless Steel Panel.

See page 52–55



## About Us

WM | Wetroom Materials was established in 2003 and specialises in the foundation systems of a wetroom. Our portfolio includes a wide range of wetroom drains, slopes and waterproofing membranes that have been designed for the demands of a wetroom. Our superior quality, innovation and passionate customer service team have been the hallmark of our success.

## The Sharp Collection


The Sharp Collection is an exclusive range of wetroom systems that are designed to be highly flexible, easy to install and can overcome the most complex construction challenges.

Whether you are looking for a minimalistic design with an invisible tile insert finish, seamless poured floor or a touch of extravagance with a wide selection of coloured grates; The Sharp Collection allows you to create the wetroom of your dreams.

All products are designed and manufactured by a professional team who have extensive knowledge of wetrooms and their requirements. Only materials of the highest quality are used and all our products come with a 10 year guarantee.

## The Wellness Collection

The Wellness Collection is an exclusive range of Spa seating and accessories. Designed with the architect and professional in mind, our high specification fabrication delivers on quality and longevity coupled with easy installation. Using only the best materials, our spa seats and niches are suitable for a wide range of decorative finishes.



## New SharpSlope® Sizes

Due to demand, we have increased our stocked standard sizes to include the below sizes:

800 x 1200mm

1000 x 1000mm

1200 x 1200mm

1800 x 1200mm

See page 36–43

## Improved Installation Kits

We have expanded our installation products to include kits for S-Bench, SharpDrain and PourFlex.

See page 83



## New Sheet Waterproofing System

For those who prefer to use sheet membrane waterproofing for faster installation, we have introduced our approved and recommended system.

See page 80



# Contents

About Us		1
Installation Service		4
Product Benefits		7
Product Features		9
Gallery		10
S-Bench®	Copenhagen	26
	Oslo	28
	Stockholm	30
Wall Niches		32
SharpBoard®		34
SharpSlope®	Linear Tile Insert	36
	Linear Panel	38
	Linear Tile Insert (without tanking)	40
	Linear Panel (without tanking)	42
	Square Tile Insert	44
	Square Panel	46
	Square Tile Insert (without tanking)	48
	Square Panel (without tanking)	50
SharpDrain® Pro	Steel Tile Insert and Panel	52
	Tile Line	54
SharpDrain®	Linear Tile Insert	56
	Linear Panel	58
	Linear Tile Line	60
AptLine®	Linear	46
PourFlex®	Linear	62
	Square	66
SharpDrain®	Polished Concrete	68
SharpDrain®	Square Horizontal Tile Insert	70
	Square Horizontal Panel	72
	Square Vertical Tile Insert	74
	Square Vertical Panel	76
	Bracing Bar	78
	U Channel	79
Waterproofing Systems		80
Floor and Wall Foundations		82
Installation Kits and Products		83
SharpSlope® Maintenance and Replacements		84
SharpDrain® Maintenance and Replacements		85
Technical SharpSlope®		87
Gallery		88

# Waterproofing Installation Service With A 10 Year No Leak Guarantee

- We provide a 10 year no leak guarantee on all waterproofing installations
- Experts in wetroom design, specification and installation
- Our products are BBA, ETAG, EC1 Plus, CE approved and comply with building regulations
- Products are designed for wetrooms and approved by the highest construction bodies around the world
- Professional installation team specialising in wetrooms and waterproofing
- Our installers have been trained to the best working Scandinavian practices
- Team arrive on site to suit your schedule and complete work within planned time frame
- Trusted by Architects, Developers, Builders and Retailers throughout the UK and Ireland
- Peace of mind with our 10 year no leak guarantee

Professional installation  
Quality approved materials



## Our installation process

- 1. Specification of the best solution and dedicated project manager**  
We will assist in recommending the optimum wetroom foundation products
- 2. Site survey**  
We will provide guidelines on the correct room preparation
- 3. Slope installation**  
Using either our SharpSlope® board or our specialist screed we will create the correct slope to the drain
- 4. Waterproofing with 10 year no leak guarantee**  
Priming of areas to be waterproofed  
Reinforcement of weak areas and joints  
Installation of waterproofing membrane





# Product Benefits



CAN BE TRIMMED



10 YEAR WARRANTY



100% WATERPROOF



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING



WOODEN FLOOR




CONCRETE FLOOR



## Product Features

1. 2 in 1 panel/tile insert
2. Water tight gasket seal
3. Stainless steel linear drain
4. 360 degree rotating outlet/fitting aid
5. Light weight, hard wearing top coat designed to resist impact. Suitable for all tiles (over 8mm thick)
6. Can be cut to size
7. Construction glue and waterproofing membrane



Large range of PVD durable finishes



Tile Insert    Stainless Steel    Black    Brass    Nickel    Bronze









16

17







SharpDrain® Square Brass Panel




SharpDrain® Line Brass Tile Insert



The Copenhagen profile takes its inspiration from the traditional spa seat. With an ergonomic shape, the curves are designed to provide maximum comfort. A modular system with service void, available in bespoke sizes.



Thermally efficient  
 Compression strength 300kpa  
 Solid Structure – EPS Foam Core  
 Cementitious Hard Coat  
 Easy to tile surface  
 Suitable for any thickness of tile  
 or flexible render  
 Suitable for use in swimming pool  
 areas  
 Electric Heating available –  
 Contact WM



## MAIN SEAT - 1.2m COPENHAGEN

Uncoated Sides



**SBCU12**



**SBCRC**



**SBCLH/SBCRH**



Bench Installation Kit

**WMSB.IK**


Coated Sides - Required for Tiling



**SBCC12**




**SBCRA**








**SBCM (2 part set)**

Profile View



Plan View



Product Code	Description
SBCU12	Complete Seat Section 1.2m Long - Uncoated Sides
SBCC12	Complete Seat Section 1.2m Long - Coated Sides
SBCRC	Radius Corner
SBCLH	Return End Large (Left Side)
SBCRH	Return End Large (Right Side)
SBCRA	Rounded Armrest
SBCM	Mitred Section 1.2m x 1.2m (2 Part Set)
WMSB.IK	Bench Installation Kit

The Oslo profile is perfect for the contemporary design led shower or spa. With its clean lines, Oslo is suitable for any shape or size of tile. With no vertical back rest, it is ideal for large format tiles and stone. Oslo is a modular system which allows you to create a bespoke layout with a service void.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR



CONCRETE FLOOR


**MAIN SEAT - 1.2m OSLO**

Uncoated Sides





**SBOU12**


Coated Sides - Required for Tiling




**SBOC12**





**SBORC**



**SBORA**




**SBOLH/SBORH**



**SBOM (2 part set)**

Thermally efficient  
 Compression strength 300kpa  
 Solid Structure – EPS Foam Core  
 Cementitious Hard Coat  
 Easy to tile surface  
 Suitable for any thickness of tile  
 or flexible render  
 Suitable for use in swimming pool  
 areas  
 Electric Heating available –  
 Contact WM




Bench Installation Kit

**WMSB.IK**

Product Code	Description
SBOU12	Complete Seat Section 1.2m Long - Uncoated Sides
SBOC12	Complete Seat Section 1.2m Long - Coated Sides
SBORC	Radius Corner
SBOLH	Return End Large (Left Side)
SBORH	Return End Large (Right Side)
SBORA	Rounded Armrest
SBOM	Mitred Section 1.2m x 1.2m (2 Part Set)
WMSB.IK	Bench Installation Kit

The Stockholm profile is the perfect shower or spa seat. With an ergonomic shape base that sits neatly against a wall. This seat has no vertical back rest, which opens up a world of possibilities for wall finishes. Stockholm is a modular system which allows you to create a bespoke layout with a service void.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR



CONCRETE FLOOR


## MAIN SEAT - 1.2m STOCKHOLM

Uncoated Sides






**SBOU12**


Coated Sides - Required for Tiling




**SBSC12**





**SBSRC**



**SBSRA**




**SBSLH/SBSRH**



**SBSM (2 part set)**

Thermally efficient  
 Compression strength 300kpa  
 Solid Structure – EPS Foam Core  
 Cementitious Hard Coat  
 Easy to tile surface  
 Suitable for any thickness of tile  
 or flexible render  
 Suitable for use in swimming pool  
 areas  
 Electric Heating available –  
 Contact WM




Bench Installation Kit

**WMSB.IK**

Product Code	Description
SBSU12	Complete Seat Section 1.2m Long - Uncoated Sides
SBSC12	Complete Seat Section 1.2m Long - Coated Sides
SBSRC	Radius Corner
SBSLH	Return End Large (Left Side)
SBSRH	Return End Large (Right Side)
SBSRA	Rounded Armrest
SBOM	Mitred Section 1.2m x 1.2m (2 Part Set)
WMSB.IK	Bench Installation Kit


Quick and easy built-in bathroom wall storage solution. Available in five different sizes. Niches can be trimmed to suit different wall depths. Ideal for any shower or bathroom. Can be used either landscape or portrait.



- High Density Extruded polystyrene
- Reinforced cement coating
- Sealed gasket
- 100% waterproof
- Suitable for any thickness of tiles or flexible render
- Suitable for use in swimming pool and spa areas
- Can be used with lights




Niche depth can be trimmed to size





Product Code	Description	Internal Dimensions
N0250	250 x 340 x 120mm	190 x 280 x 110mm
N0350	350 x 340 x 120mm	290 x 280 x 110mm
N0450	450 x 340 x 120mm	390 x 280 x 110mm
N0670	670 x 370 x 120mm	610 x 310 x 110mm
N1275	1275 x 370 x 120mm	1215 x 310 x 110mm

Lightweight high-density construction tile backer board with 30 tonnes compression strength designed specifically for tiling wetrooms and bathrooms. SharpBoard® is 100% waterproof, it is insulated to improve heat retention and maximise underfloor heating performance. 1200 x 600mm available in five thicknesses.



- 1 Plywood boards recessed between floor joists and supported by batons fixed to joists.
- 2 Stud wall with 400mm or 600mm centres. When using mosaic wall tiles 300mm stud centres are recommended for additional support.
- 3 Adhesive applied onto ply. The thickness of the adhesive under SharpSlope® and SharpBoard® can be adjusted to allow for the top of the boards to be flush with each other.
- 4 SharpSlope® board installed onto adhesive on top of recessed plywood.
- 5 SharpBoard® can be fixed to studs with dry wall screws and washers. 30mm and 20mm boards recommended for 400mm and 600mm stud centres. 12.5mm, 10mm and 6mm can be used with 300mm stud centres. Use adhesive to apply to floor
- 6 Waterproofing membrane and reinforcement tape applied to all movement joints e.g. where the wall and floor meet as well as all joints between boards.
- 7 Tile adhesive applied onto boards and waterproofing once waterproofing is completely dry.
- 8 Tiles.



Properties	Value
Compressive Strength (10% deformation BSEN826)	300kPa
Thermal Conductivity BSEN13164	0.0036W/mk
Water Absorption by Immersion	EN12087 ≤1.5%
Density	36 kg/m <sup>3</sup>
Temperature Range	50°C = 75°C
Fire Performance BS 476 part 6, 7 surface spread of flames/EN 13501-1	National Class 0/ Euroclass E
Sound Reduction to BS EN ISO 10140-3 test result based on 6mm board	(Δ/w) 19db
Static loads fixed over concrete and structurally stable floors (calculation based on a 1 mtr x 1 mtr tile fixed over the SharpBoard)	30 Tons per m <sup>2</sup>




SB06M

SB10M

SB12.5M

SB20M

SB30M



# SharpSlope® | Linear Tile Insert

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SL.0812




SL.0912




SL.1010




SL.1212




SL.0915




SL.1509



SL.1807



SL.1018



SL.1812

## Kit Includes

- 36 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert and Frame
- Construction Glue
- 3m² Waterproofing Kit



Size	Board Thickness	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
800 x 1200	30mm	SL.0812SS	SL.0812BL	SL.0812BS	SL.0812NI	SL.0812BZ
900 x 1200	30mm	SL.0912SS	SL.0912BL	SL.0912BS	SL.0912NI	SL.0912BZ
1000 x 1000	30mm	SL.1010SS	SL.1010BL	SL.1010BS	SL.1010NI	SL.1010BZ
1200 x 1200	30mm	SL.1212SS	SL.1212BL	SL.1212BS	SL.1212NI	SL.1212BZ
900 x 1500	30mm	SL.0915SS	SL.0915BL	SL.0915BS	SL.0915NI	SL.0915BZ
1500 x 900	30mm	SL.1509SS	SL.1509BL	SL.1509BS	SL.1509NI	SL.1509BZ
1800 x 750	30mm	SL.1807SS	SL.1807BL	SL.1807BS	SL.1807NI	SL.1807BZ
1000 x 1800	30mm	SL.1018SS	SL.1018BL	SL.1018BS	SL.1018NI	SL.1018BZ
1800 x 1200	30mm	SL.1812SS	SL.1812BL	SL.1812BS	SL.1812NI	SL.1812BZ



# SharpSlope® | Linear Panel

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING



WOODEN FLOOR



CONCRETE FLOOR



## Kit Includes

- 36 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Panel and Frame
- Construction Glue
- 3m² Waterproofing Kit



Size	Board Thickness	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
800 x 1200	30mm	SL.0812SS	SL.0812BL	SL.0812BS	SL.0812NI	SL.0812BZ
900 x 1200	30mm	SL.0912SS	SL.0912BL	SL.0912BS	SL.0912NI	SL.0912BZ
1000 x 1000	30mm	SL.1010SS	SL.1010BL	SL.1010BS	SL.1010NI	SL.1010NI
1200 x 1200	30mm	SL.1212SS	SL.1212BL	SL.1212BS	SL.1212NI	SL.1212BZ
900 x 1500	30mm	SL.0915SS	SL.0915BL	SL.0915BS	SL.0915NI	SL.0915BZ
1500 x 900	30mm	SL.1509SS	SL.1509BL	SL.1509BS	SL.1509NI	SL.1509BZ
1800 x 750	30mm	SL.1807SS	SL.1807BL	SL.1807BS	SL.1807NI	SL.1807BZ
1000 x 1800	30mm	SL.1018SS	SL.1018BL	SL.1018BS	SL.1018NI	SL.1018BZ
1800 x 1200	30mm	SL.1812SS	SL.1812BL	SL.1812BS	SL.1812NI	SL.1812BZ



Drain Fitting Aid  
Order Ref  
WMDFA



Wooden Floor  
Installation Kit  
Order Ref  
WMSS.WFIW



Concrete Floor  
Installation Kit  
Order Ref  
WMSS.WCIW



Vertical Outlet  
Order Ref  
WMSLVO



Cleaning Hook  
Order Ref  
WM1840.0000

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SL0812




SL0912




SL1010




SL1212




SL0915




SL1509



SL1807



SL1018



SL1812

## Kit Includes

- 36 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert and Frame



Size	Board Thickness	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
800 x 1200	30mm	SL0812SSNT	SL0812BLNT	SL0812BSNT	SL0812NINT	SL0812BZNT
900 x 1200	30mm	SL0912SSNT	SL0912BLNT	SL0912BSNT	SL0912NINT	SL0912BZNT
1000 x 1000	30mm	SL1010SSNT	SL1010BLNT	SL1010BSNT	SL1010NINT	SL1010BZNT
1200 x 1200	30mm	SL1212SSNT	SL1212BLNT	SL1212BSNT	SL1212NINT	SL1212BZNT
900 x 1500	30mm	SL0915SSNT	SL0915BLNT	SL0915BSNT	SL0915NINT	SL0915BZNT
1500 x 900	30mm	SL1509SSNT	SL1509BLNT	SL1509BSNT	SL1509NINT	SL1509BZNT
1800 x 750	30mm	SL1807SSNT	SL1807BLNT	SL1807BSNT	SL1807NINT	SL1807BZNT
1000 x 1800	30mm	SL1018SSNT	SL1018BLNT	SL1018BSNT	SL1018NINT	SL1018BZNT
1800 x 1200	30mm	SL1812SSNT	SL1812BLNT	SL1812BSNT	SL1812NINT	SL1812BZNT



Drain Fitting Aid  
Order Ref WMDFA



Wooden Floor Installation Kit  
Order Ref WMSS.WFIW



Concrete Floor Installation Kit  
Order Ref WMSS.WCIW



Vertical Outlet  
Order Ref WMSLVO



Cleaning Hook  
Order Ref WM1840.0000

# SharpSlope® | Linear Panel (without tanking)

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SL.0812




SL.0912




SL.1010




SL.1212




SL.0915




SL.1509



SL.1807



SL.1018



SL.1812

## Kit Includes

- 36 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Panel and Frame



Size	Board Thickness	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
800 x 1200	30mm	SL.0812SSNT	SL.0812BLNT	SL.0812BSNT	SL.0812NINT	SL.0812BZNT
900 x 1200	30mm	SL.0912SSNT	SL.0912BLNT	SL.0912BSNT	SL.0912NINT	SL.0912BZNT
1000 x 1000	30mm	SL.1010SSNT	SL.1010BLNT	SL.1010BSNT	SL.1010NINT	SL.1010BZNT
1200 x 1200	30mm	SL.1212SSNT	SL.1212BLNT	SL.1212BSNT	SL.1212NINT	SL.1212BZNT
900 x 1500	30mm	SL.0915SSNT	SL.0915BLNT	SL.0915BSNT	SL.0915NINT	SL.0915BZNT
1500 x 900	30mm	SL.1509SSNT	SL.1509BLNT	SL.1509BSNT	SL.1509NINT	SL.1509BZNT
1800 x 750	30mm	SL.1807SSNT	SL.1807BLNT	SL.1807BSNT	SL.1807NINT	SL.1807BZNT
1000 x 1800	30mm	SL.1018SSNT	SL.1018BLNT	SL.1018BSNT	SL.1018NINT	SL.1018BZNT
1800 x 1200	30mm	SL.1812SSNT	SL.1812BLNT	SL.1812BSNT	SL.1812NINT	SL.1812BZNT



# SharpSlope® | Square Tile Insert

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SS.0909




SS.1010




SS.0912



SS.0915



SS.1515



SS.0918

## Kit Includes

- 42 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert and Frame
- Construction Glue
- 3m² Waterproofing Kit



Size	Board Thickness	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
900 x 900	22mm	SS.0909SS	SS.0909BL	SS.0909BS	SS.0909NI	SS.0909BZ
1000 x 1000	22mm	SS.1010SS	SS.1010BL	SS.1010BS	SS.1010NI	SS.1010BZ
900 x 1200	22mm	SS.0912SS	SS.0912BL	SS.0912BS	SS.0912NI	SS.0912BZ
900 x 1500	27mm	SS.0915SS	SS.0915BL	SS.0915BS	SS.0915NI	SS.0915BZ
1500 x 1500	27mm	SS.1515SS	SS.1515BL	SS.1515BS	SS.1515NI	SS.1515BZ
900 x 1800	30mm	SS.0918SS	SS.0918BL	SS.0918BS	SS.0918NI	SS.0918BZ



Drain Fitting Aid  
Order Ref  
WMDFA



Wooden Floor  
Installation Kit  
Order Ref  
WMSS.WFIW



Concrete Floor  
Installation Kit  
Order Ref  
WMSS.WCIW



Vertical Outlet  
Order Ref  
WMSSVO



Cleaning Hook  
Order Ref  
WM1840.0000

# SharpSlope® | Square Panel

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Supplied with a high quality, flexible waterproofing membrane. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SS.0909




SS.1010




SS.0912



SS.0915




SS.1515



SS.0918

## Kit Includes

- 42 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Panel and Frame
- Construction Glue
- 3m² Waterproofing Kit



Size	Board Thickness	Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
900 x 900	22mm	SS.0909FG	SS.0909SS	SS.0909BL	SS.0909BS	SS.0909NI	SS.0909BZ
1000 x 1000	22mm	SS.1010FG	SS.1010SS	SS.1010BL	SS.1010BS	SS.1010NI	SS.1010BZ
900 x 1200	22mm	SS.0912FG	SS.0912SS	SS.0912BL	SS.0912BS	SS.0912NI	SS.0912BZ
900 x 1500	27mm	SS.0915FG	SS.0915SS	SS.0915BL	SS.0915BS	SS.0915NI	SS.0915BZ
1500 x 1500	27mm	SS.1515FG	SS.1515SS	SS.1515BL	SS.1515BS	SS.1515NI	SS.1515BZ
900 x 1800	30mm	SS.0918FG	SS.0918SS	SS.0918BL	SS.0918BS	SS.0918NI	SS.0918BZ



Drain Fitting Aid  
Order Ref  
WMDFA



Wooden Floor  
Installation Kit  
Order Ref  
WMSS.WFIW



Concrete Floor  
Installation Kit  
Order Ref  
WMSS.WCIW




Vertical Outlet  
Order Ref  
WMSSVO




Cleaning Hook  
Order Ref  
WM1840.0000

# SharpSlope® | Square Tile Insert (without tanking) 48


Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Minimum tile thickness 8mm.




SS.0909




SS.1010




SS.0912



SS.0915



SS.1515



SS.0918

## Kit Includes

- 42 Litres Per Minute
- Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Tile Insert and Frame



Size	Board Thickness	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
900 x 900	22mm	SS.0909SSNT	SS.0909BLNT	SS.0909BSNT	SS.0909NINT	SS.0909BZNT
1000 x 1000	22mm	SS.1010SSNT	SS.1010BLNT	SS.1010BSNT	SS.1010NINT	SS.1010BZNT
900 x 1200	22mm	SS.0912SSNT	SS.0912BLNT	SS.0912BSNT	SS.0912NINT	SS.0912BZNT
900 x 1500	27mm	SS.0915SSNT	SS.0915BLNT	SS.0915BSNT	SS.0915NINT	SS.0915BZNT
1500 x 1500	27mm	SS.1515SSNT	SS.1515BLNT	SS.1515BSNT	SS.1515NINT	SS.1515BZNT
900 x 1800	30mm	SS.0918SSNT	SS.0918BLNT	SS.0918BSNT	SS.0918NINT	SS.0918BZNT



# SharpSlope® | Square Panel (without tanking)

Easy to install, preformed wetroom tray with integrated steel drain which is sealed with a watertight gasket. The preformed rigid tray is waterproof and has a cementitious top layer for high compression strength. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Minimum tile thickness 8mm.



CAN BE TRIMMED



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN




UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR




SS.0909




SS.1010




SS.0912



SS.0915




SS.1515



SS.0918

## Kit Includes

- 42 Litres Per Minute Preformed Wetroom Tray
- Integrated Drain - 1½" Connection
- Sealed Gasket
- 50mm Water Seal
- Panel and Frame



Size	Board Thickness	Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
900 x 900	22mm	SS.0909FGNT	SS.0909SSNT	SS.0909BLNT	SS.0909BSNT	SS.0909NINT	SS.0909BZNT
1000 x 1000	22mm	SS.1010FGNT	SS.1010SSNT	SS.1010BLNT	SS.1010BSNT	SS.1010NINT	SS.1010BZNT
900 x 1200	22mm	SS.0912FGNT	SS.0912SSNT	SS.0912BLNT	SS.0912BSNT	SS.0912NINT	SS.0912BZNT
900 x 1500	27mm	SS.0915FGNT	SS.0915SSNT	SS.0915BLNT	SS.0915BSNT	SS.0915NINT	SS.0915BZNT
1500 x 1500	27mm	SS.1515FGNT	SS.1515SSNT	SS.1515BLNT	SS.1515BSNT	SS.1515NINT	SS.1515BZNT
900 x 1800	30mm	SS.0918FGNT	SS.0918SSNT	SS.0918BLNT	SS.0918BSNT	SS.0918NINT	SS.0918BZNT



Drain Fitting Aid  
Order Ref  
WMDFA



Wooden Floor  
Installation Kit  
Order Ref  
WMSS.WFIW



Concrete Floor  
Installation Kit  
Order Ref  
WMSS.WCIW



Vertical Outlet  
Order Ref  
WMSSVO



Cleaning Hook  
Order Ref  
WM1840.0000

# SharpDrain® Pro | Linear Tile Insert / Panel

New and improved SharpDrain with 360 rotating offset outlet for tricky joists and easy connection. The drain can be rotated to have the outlet offset on the opposite site. Factory fitted membrane for added waterproof protection. Available as Brushed Panel or Steel Tile Insert.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

Front View



Plan View



## Kit Includes

- 48 Litres Per Minute Linear Drain
- 1½" Connection
- 360 rotating outlet
- 50mm Water Seal
- Tile Insert or Brushed Steel Panel and Frame
- Factory Fitted Membrane



Model	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Tile Insert Kit Order Ref	Steel Panel Kit Order Ref
500	560	500	99	PSDTP.0500	PSDTP.0500
600	660	600	99	PSDTP.0600	PSDTP.0600
700	760	700	99	PSDTP.0700	PSDTP.0700
800	860	800	99	PSDTP.0800	PSDTP.0800
900	960	900	99	PSDTP.0900	PSDTP.0900
1000	1060	1000	99	PSDTP.1000	PSDTP.1000
1100	1160	1100	99	PSDTP.1100	PSDTP.1100
1200	1260	1200	99	PSDTP.1200	PSDTP.1200
1500	1560	1500	99	PSDTP.1500	PSDTP.1500



Adjustable Concrete Installation Feet  
Order Ref  
WMPSD.CFAF



Wooden Floor Fitting Aid  
Drain Model 500 - 900  
Order Ref  
WMPSD.WFIK.01



Wooden Floor Fitting Aid  
Drain Model 1000 - 1500  
Order Ref  
WMPSD.WFIK.02



Cleaning Hook  
Order Ref  
WM1840.0000

# SharpDrain® Pro | Linear Tile Line

New and improved SharpDrain with 360 rotating offset outlet for tricky joists and easy connection. The drain can be rotated to have the outlet offset on the opposite site. Factory fitted membrane for added waterproof protection. Tile Line gives you the option to tile onto the drain with no visible metal trim for the invisible drain look.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

Front View




Plan View



## Kit Includes

- 48 Litres Per Minute Linear Drain
- 1½" Connection
- 360 rotating outlet
- 50mm Water Seal
- Tile Line
- Factory Fitted Membrane



Model	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Tile Line Kit Order Ref
500	580	500	104	PSDTL.0500
600	680	600	104	PSDTL.0600
700	780	700	104	PSDTL.0700
800	880	800	104	PSDTL.0800
900	980	900	104	PSDTL.0900
1000	1080	1000	104	PSDTL.1000
1100	1180	1100	104	PSDTL.1100
1200	1280	1200	104	PSDTL.1200
1500	1580	1500	104	PSDTL.1500



Adjustable Concrete Installation Feet  
Order Ref: WMPSD.CFAF



Wooden Floor Fitting Aid  
Drain Model 500 - 900  
Order Ref: WMPSD.WFIK.01



Wooden Floor Fitting Aid  
Drain Model 1000 - 1500  
Order Ref: WMPSD.WFIK.02




Cleaning Hook  
Order Ref: WM1840.0000

# SharpDrain® | Linear Tile Insert


Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Tile Inserts are available as Brushed Stainless Steel or durable PVD coated colours. Factory fitted membrane for added waterproof protection.



Plan View



Side View



## Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Tile Insert and Frame
- 330mm Factory Fitted Membrane
- PVD Coated Colours
- Polystyrene Fitting Aid



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
600	633	600	72	SDTP.0600	SDTP.0600BL	SDTP.0600BS	SDTP.0600NI	SDTP.0600BZ
700	733	700	72	SDTP.0700	SDTP.0700BL	SDTP.0700BS	SDTP.0700NI	SDTP.0700BZ
800	833	800	72	SDTP.0800	SDTP.0800BL	SDTP.0800BS	SDTP.0800NI	SDTP.0800BZ
900	933	900	72	SDTP.0900	SDTP.0900BL	SDTP.0900BS	SDTP.0900NI	SDTP.0900BZ
1000	1033	1000	72	SDTP.1000	SDTP.1000BL	SDTP.1000BS	SDTP.1000NI	SDTP.1000BZ
1200	1233	1200	72	SDTP.1200	SDTP.1200BL	SDTP.1200BS	SDTP.1200NI	SDTP.1200BZ



Wooden Floor Installation Kit  
Order Ref: WMSDLD.WFIK



Cleaning Hook  
Order Ref: WM1840.0000

# SharpDrain® | Linear Panel

Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Panels are available as Brushed Stainless Steel or durable PVD coated colours. Factory fitted membrane for added waterproof protection.



## Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Frame & Panel
- 330mm Factory Fitted Membrane
- PVD Coated Colours
- Polystyrene Fitting Aid



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
600	633	600	72	SDTP.0600	SDTP.0600BL	SDTP.0600BS	SDTP.0600NI	SDTP.0600BZ
700	733	700	72	SDTP.0700	SDTP.0700BL	SDTP.0700BS	SDTP.0700NI	SDTP.0700BZ
800	833	800	72	SDTP.0800	SDTP.0800BL	SDTP.0800BS	SDTP.0800NI	SDTP.0800BZ
900	933	900	72	SDTP.0900	SDTP.0900BL	SDTP.0900BS	SDTP.0900NI	SDTP.0900BZ
1000	1033	1000	72	SDTP.1000	SDTP.1000BL	SDTP.1000BS	SDTP.1000NI	SDTP.1000BZ
1200	1233	1200	72	SDTP.1200	SDTP.1200BL	SDTP.1200BS	SDTP.1200NI	SDTP.1200BZ



Wooden Floor Installation Kit  
Order Ref: WMSDLL.WFIK



Cleaning Hook  
Order Ref: WM1840.0000

Shallow linear drain which is perfect for wetrooms that have minimal floor depth. Stainless Steel drain that only requires 72mm depth and has a 50mm water seal. Tile Line allows you to glue a tile onto the drain with no visible metal. Factory fitted membrane for added waterproof protection.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

Plan View



Side View



## Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- Tile Base
- 330mm Factory Fitted Membrane
- Polystyrene Fitting Aid



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
600	633	600	72	86	SDTL.0600
700	733	700	72	86	SDTL.0700
800	833	800	72	86	SDTL.0800
900	933	900	72	86	SDTL.0900
1000	1033	1000	72	86	SDTL.1000
1200	1233	1200	72	86	SDTL.1200




Wooden Floor Installation Kit  
Order Ref  
WMSDL.WFIK



Cleaning Hook  
Order Ref  
WM1840.0000

Unique system which provides ultimate flexibility. Metal drain and panel finish can be trimmed to size. Outlet can be offset, height adjusted and is 360° rotational. Option of Polished or Brushed Stainless Steel panel. Suitable for any floor finish.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

### Plan View



### Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Brushed Steel Kit Order Ref	Polished Steel Kit Order Ref	Tiled Kit Order Ref
800	870-350	800-350	85-105	WMAL.0800SS	WMAL.0800PS	WMAL.0800T
1000	1070-800	1000-800	85-105	WMAL.1000SS	WMAL.1000PS	WMAL.1000T

### Kit Includes

- 48 Litres Per Minute
- 360° Outlet – 1½" Connection
- 50mm Water Seal
- Installation Feet
- Trimming & Tiling Guide
- Polished or Brushed
- Adjustable Panel
- 3.5m Membrane and Glue



### Ultimate Flexibility



Can be trimmed to size

Cut down to offset outlet

Outlet rotation and depth adjustment

Adjustable Panel height to suit floor finish.




Cleaning Hook  
Order Ref  
WM1840.0000


An innovative linear drain, designed specifically for poured floors such as Epoxy Resin and Micro Cement. This is a ground breaking design to cater for the requirements of poured floors. PourFlex® allows you to alter the height of the drain to suit the floor thickness.



Plan View



Side View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Drain Width (D)	Kit Order Ref
700	813	700	90	164	SDPF.0700
800	913	800	90	164	SDPF.0800
900	1013	900	90	164	SDPF.0900

## Kit Includes

- 32 Litres Per Minute Linear Drain
- 1½" Connection
- 50mm Water Seal
- PourFlex® Panel
- Polystyrene Fitting Aid




## Technical



Plumb in drain



Create fall



Adjust to floor



Waterproof



Pour floor




Wooden Floor Installation Kit  
Order Ref WMSDL.D.WFIK



Cleaning Hook  
Order Ref WM1840.0000

An innovative square drain, designed specifically for poured floors such as Epoxy Resin and Micro Cement. This is a ground breaking design to cater for the requirements of poured floors. PourFlex® allows you to alter the height of the drain to suit the floor thickness.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR



CONCRETE FLOOR


## Technical Information



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Kit Order Ref
260	260	150	66	SDPF.0150

## Kit Includes

- 24 Litres Per Minute Square Drain
- Water Seal
- PourFlex® Panel
- Polystyrene fitting



## Technical



Plumb in drain



Create fall



Adjust to floor



Waterproof



Pour floor



Wooden Floor Installation Kit  
Order Ref  
WMSDL.DWFK



Cleaning Hook  
Order Ref  
WM1840.0000


# SharpDrain® | Polished Concrete

A drain designed for polished concrete without a flange allowing for continuous concrete depth for greater strength. Concrete can be poured into the insert at 25mm thickness or it can be used as a brushed steel panel. Supplied with a low profile outlet which can be rotated for easy installation and installation feet.



-   
100%  
WATERPROOF
-   
10 YEAR  
WARRANTY
-   
EASY  
INSTALLATION
-   
EASY  
TO CLEAN
-   
UNDERFLOOR  
HEATING
-   
CONCRETE  
FLOOR

## Plan View



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Kit Order Ref
500	500	480	100	SDPC.0500

## Kit Includes

- 36 Litres Per Minute Linear Drain
- 1½" Connection
- 360 rotating outlet
- Insert to fill with Polished Concrete or use as Brushed Stainless Steel Panel
- Installation Feet




Cleaning Hook  
Order Ref  
WM1840.0000

# SharpDrain® | Square Horizontal Tile Insert


Minimum floor depth (76mm) square drain which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for areas that have little floor depth available. Tile Inserts are available as Brushed Stainless Steel or PVD coated colours.



Plan View



Side View



## Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Tile Insert and Frame
- PVD Coloured Finishes



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
76	197	145 x 145	76	SDSD.0076SS	SDSD.0076BL	SDSD.0076BS	SDSD.0076NI	SDSD.0076BZ




# SharpDrain® | Square Horizontal Panel

Minimum floor depth (76mm) square drain which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for areas that have little floor depth available. Panels are available as Brushed Stainless Steel or PVD coated colours.




-   
100%  
WATERPROOF
-   
10 YEAR  
WARRANTY
-   
EASY  
INSTALLATION
-   
EASY  
TO CLEAN
-   
UNDERFLOOR  
HEATING
-   
WOODEN  
FLOOR
-   
CONCRETE  
FLOOR

Plan View





Side View



## Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Frame & Grate - Panel
- PVD Colour Finishes



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
76	197	145 x 145	76	SDSD.0076FG	SDSD.0076SS	SDSD.0076BL	SDSD.0076BS	SDSD.0076NI	SDSD.0076BZ



More information on Pages 83–85

# SharpDrain® | Square Vertical Tile Insert

A vertical drain with an overall depth 230mm, which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for projects that require a slim drain. Change a slim drain to a vertical connection. Tile Inserts are available as Brushed Stainless Steel or PVD coated colours.



100% WATERPROOF



10 YEAR WARRANTY



EASY INSTALLATION



EASY TO CLEAN



UNDERFLOOR HEATING




WOODEN FLOOR




CONCRETE FLOOR

Plan View



Side View



## Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Tile Insert and Frame
- PVD Colour Finishes



Also available in 110mm Pipework

Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Steel Tile Insert Kit Order Ref	Black Tile Insert Kit Order Ref	Brass Tile Insert Kit Order Ref	Nickel Tile Insert Kit Order Ref	Bronze Tile Insert Kit Order Ref
189	197	145 x 145	230	SDSD.0189SS	SDSD.0189BL	SDSD.0189BS	SDSD.0189NI	SDSD.0189BZ



110 Tile Insert Order Ref SDSD.0110SS



Wooden Floor Mounting Set Order Ref WMSD.MS



Cleaning Hook Order Ref WM1840.0000


# SharpDrain® | Square Vertical Panel

A vertical drain with an overall depth 230mm, which can be installed anywhere in a wetroom or be used as secondary drainage. Perfect for projects that require a vertical connection. Panels are available as Brushed Stainless Steel or PVD coated colours.




-   
100%  
WATERPROOF
-   
10 YEAR  
WARRANTY
-   
EASY  
INSTALLATION
-   
EASY  
TO CLEAN
-   
UNDERFLOOR  
HEATING
-   
WOODEN  
FLOOR
-   
CONCRETE  
FLOOR

Plan View



Side View




## Kit Includes

- 48 Litres Per Minute Square Drain
- 1½" Connection
- Anti Odour Barrier
- Frame & Grate - Panel
- PVD Colour Finishes



Also available in 110mm Pipework



Model No.	Structural Length (A)	Visual Length (B)	Drain Depth (C)	Frame & Grate Kit Order Ref	Steel Panel Kit Order Ref	Black Panel Kit Order Ref	Brass Panel Kit Order Ref	Nickel Panel Kit Order Ref	Bronze Panel Kit Order Ref
189	197	145 x 145	230	SDSD.0189FG	SDSD.0189SS	SDSD.0189BL	SDSD.0189BS	SDSD.0189NI	SDSD.0189BZ

-   
110 Tile Insert  
Order Ref  
SDSD.0110SS
-   
Wooden Floor  
Mounting Set  
Order Ref  
WMSD.MS
-   
Cleaning Hook  
Order Ref  
WM1840.0000

# Bracing Bar


Bracing Bars are PVD coated to compliment both the SharpSlope and SharpDrain range. Stainless Steel U channels can be recessed into the floor or fixed to the tiles.



## Bracing Bar






Bracing Bar Length	Steel Kit Order Ref	Black Kit Order Ref	Brass Kit Order Ref	Nickel Kit Order Ref	Bronze Kit Order Ref
1000	SSBB.10SS	SSBB.10BL	SSBB.10BS	SSBB.10NI	SSBB.10BZ



## U Channel

Length	Kit Order Ref
2500	SSUC.2500





Product Name	Description
12kg VS30 Tanking Kit	Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage up to 12m <sup>2</sup> based on 0.58mm thickness. Kit contains liquid membrane, primer and 25m reinforcement tape.
Quantity of kits	Order Reference
1 - 9	WMVS30.12K
10 - 24	WMVS30.12K.10
25 +	WMVS30.12K.25

**EC1 Plus Approved Low emissions**



Product Name	Description
3kg Tanking Kit	Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage up to 3m <sup>2</sup> based on 0.58mm thickness. Kit contains liquid membrane, primer and 25m reinforcement tape.
Quantity of kits	Order Reference
1 - 9	WMVS30.03K
10 - 24	WMVS30.03K.10
25 +	WMVS30.03K.25

**EC1 Plus Approved Low emissions**



Product Name	Description
Red Defence Sheet Membrane	Red Defence is a 3 ply waterproof sheet membrane. It has high shear resistance and is fast to install with no drying time required before tiling. It can be installed with Lip 527 installation adhesive of 2 Component waterproofing paste and cement. Available as 1m x 5m Roll.
Order Reference	
WMRD.05	



Product Name	Description
12kg VS30 Liquid Membrane	Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage up to 12m <sup>2</sup> based on 0.58mm thickness. To be used with LIP Primer 54 and reinforcement tape.
Order Reference	
WMVS30.12	



Product Name	Description
25m Reinforcement Tape	Reinforcement tape to be used with LIPVS30 on all joints and around first fixes. 25 metres of tape.
Order Reference	
WMT.25	



Product Name	Description
Internal corner piece	Preformed internal corner reinforcement tape for use with LIP VS30 Tanking Kit.
Order Reference	
WMICP	



Product Name	Description
Primer 54	Priming of substrate before applying LIP VS30. Seals pores and binds dust. 1L Bottle.
Order Reference	
WMPR54.01	



Product Name	Description
20kg Installation Adhesive	C2TE Adhesive. Used for sheet membrane, SharpSlope Tray and PureStep and tiling Installation. EC1 Plus Approved.
Order Reference	
WM527	



Product Name	Description
2 Component Waterproof Paste	Waterproof paste to apply sheet membrane. Use with Special Cement for faster curing. 5m <sup>2</sup> Coverage when used with Special Cement.
Order Reference	
WMWP2K.05	



Product Name	Description
3kg VS30 Liquid Membrane	Easy paint on application approved for wooden, cementitious, metal and plastic surfaces. Coverage up to 3m <sup>2</sup> based on 0.58mm thickness. To be used with LIP Primer 54 and reinforcement tape.
Order Reference	
WMVS30.03	



Product Name	Description
Pipework Reinforcement Collar	Preformed collar for waterproofing around shower pipework.
Order Reference	
WMPPC	



Product Name	Description
External corner piece	Preformed external corner reinforcement tape for use with LIP VS30 Tanking Kit.
Order Reference	
WMECP	





Product Name	Description
Supergrund Primer	Special primer for when extra high adhesion is required and normal primer is not suitable. 3kg Tub.
Order Reference	
WMPRSG.03	



Product Name	Description
10m Butyl Tape	Self adhesive waterproof tape with very strong adhesion. Can be used where RED Defence membrane meets the drain.
Order Reference	
WMBT10	



Product Name	Description
2 Component Special Cement	Mix with 2 Component Waterproofing Paste at 1:1 ratio for faster curing.
Order Reference	
WMSC2K.05	



Product Name	Order Reference	Description
SharpBoard® 6mm	SB06M	1200 x 600mm Lightweight rigid high-density construction board designed for wetrooms and bathrooms. <ul style="list-style-type: none"> <li>• Waterproof</li> <li>• Insulation Properties improves heat retention</li> <li>• Maximises underfloor heating performance</li> <li>• Ideal for tiles, synthetic renders and decorative plaster</li> </ul>
SharpBoard® 10mm	SB10M	
SharpBoard® 12.5mm	SB12.5M	
SharpBoard® 20mm	SB20M	
SharpBoard® 30mm	SB30M	



Product Name	Description
20kg Installation Adhesive	C2TE Adhesive. Used for sheet membrane, SharpSlope Tray and PureStep and tiling installation. EC1 Plus Approved.
Order Reference	WM527



Product Name	Description
Galvanised Washers	To mechanically fix SharpBoard® to walls and floor. 35mm, 100 washers per bag.
Order Reference	SBGW100



Product Name	Description
Wetroom Screed	20kg bag of cement based, fibre reinforced screed. Works from 2mm. Coverage 1.8kg per m2 at 1mm thickness.
Order Reference	WM226




Product Name	Description
Construction Glue	Fast hardening flexible glue for fixing down and filling gaps 5mm or smaller.
Order Reference	WMCG



Product Name	Description
PureStep Decoupling	Neutralises tension to reduce movement protecting floor tiles. Up to 70 dB acoustical reduction. 5, 10 and 20m roll options.
Order Reference	1m x 5m WMPS05 1m x 10m WMPS10 1m x 20m WMPS20



Product Name	Description
Transparent Silicone	Highly elastic alcohol based silicone for sealing of wetroom joints.
Order Reference	WMTS



Product Name	Description
SharpSlope® Fitting Aid	Preformed support allowing for faster installation compared to installer creating supports. The Fitting Aid is highly recommended as it is designed for the SharpSlope® drain and provides the support required under the SharpSlope tray and around the drain to reduce movement.
Order Reference	WMDFA



Product Name	Description
SharpSlope® Wooden Floor Installation Kit	A kit designed specifically for installing SharpSlope® on a wooden floor. It includes the SharpSlope® Fitting Aid. Two 20kg bags of wetroom adhesive for installation of SharpSlope® and tiling. Two preformed internal corner pieces.
Order Reference	WMSS.WFIK



Product Name	Description
SharpSlope® Concrete Floor Installation Kit	A kit designed specifically for installing SharpSlope® on a concrete floor. It includes two 20kg bags of wetroom adhesive for installation of SharpSlope® and tiling. Two preformed internal corner pieces.
Order Reference	WMSS.WCIK



Product Name	Description
Bench Installation Kit	A kit designed specifically for installing S-Bench®. It includes one 20kg bag of wetroom adhesive to bed bench to floor, glue to fit bench to base and waterproofing membrane and tape for joints.
Order Reference	WMSB.IK




Product Name	Description
SharpDrain® Pro Linear Wooden Floor Fitting Aid	For drain model 500 – 900. It includes four wooden supports to install under the drain, four flange supports to glue or screw the drain down into position. Cut to size where required. Glue for installation, two waterproofing internal corner pieces and a pipework reinforcement collar.
Order Reference	WMPSD.WFIK.01



Product Name	Description
SharpDrain® Pro Linear Wooden Floor Fitting Aid	For drain model 1000 – 1500. It includes four wooden supports to install under the drain, four flange supports to glue or screw the drain down into position. Cut to size where required. Glue for installation and two waterproofing internal corner pieces.
Order Reference	WMPSD.WFIK.02



Product Name	Description
SharpDrain® Linear Wooden Floor Installation Set	When installing on wooden floors, you may need to cut out part of the floor around the drain. This installation set covers the hole and provides support.
Order Reference	WMSDLD.WFIK



Product Name	Description
SharpDrain® Square Mounting Set	The mounting set makes installation on wooden floors easy. Screw the mounting set into the floor and screw the drain into the mounting set.
Order Reference	WMSD.MS



Product Name	Description
Hook	To lift drain cover and trap to remove for cleaning and maintenance.
Order Reference	WM1840.0000



Product Name	Description
SharpSlope® Linear Tile Insert / Panel and Frame	Replacement Brushed Stainless Steel Tile Insert and Frame Set.
Order Reference	SL.0550.SS



Product Name	Description
SharpSlope® Square Frame and Grate	Replacement Stainless Steel Grate and Plastic Frame Set.
Order Reference	SD.0150.FG



Product Name	Description
SharpSlope® Square Tile Insert / Panel and Frame	Replacement Brushed Stainless Steel Tile Insert and Frame Set.
Order Reference	SD.0150.SS



Product Name	Description
SharpSlope® Linear Trap	Replacement trap for SharpSlope Linear horizontal outlet.
Order Reference	WMSS.SLRT



Product Name	Description
SharpSlope® Square Trap	Replacement trap for SharpSlope square horizontal outlet.
Order Reference	WMSS.SSRT



Product Name	Description
SharpSlope® Linear Horizontal Outlet and trap	Replacement horizontal outlet and trap set for Linear.
Order Reference	WMSLHO



Product Name	Description
SharpSlope® Square Horizontal Outlet and trap	Replacement horizontal outlet and trap set for Square.
Order Reference	WMSSHO



Product Name	Description
SharpSlope® Linear Vertical Outlet and trap	Replacement Vertical outlet and trap set for Linear.
Order Reference	WMSLVO



Product Name	Description
SharpSlope® Square Vertical Outlet and trap	Replacement Vertical outlet and trap set for Square.
Order Reference	WMSSVO

If you need a replacement trap for vertical outlet, please contact WM



Product Name	Description
Hook	To lift drain cover and trap to remove for cleaning and maintenance.
Order Reference	WM1840.0000



Product Name	Description
SharpDrain® Square trap	Replacement trap.
Order Reference	WMSD.SQRT



Product Name	Description
SharpDrain® Square Frame and Grate	Replacement Stainless Steel Grate and Plastic Frame Set.
Order Reference	SD.0150.FG



Product Name	Description
SharpDrain® Square Tile Insert / Panel and Frame	Replacement Brushed Stainless Steel Tile Insert and Frame Set.
Order Reference	SD.0150.SS



Product Name	Description
SharpDrain® and PourFlex Linear Trap	Replacement trap.
Order Reference	WMSD.LIRT



Product Name	Description
SharpDrain® Pro Linear trap	Replacement trap.
Order Reference	WMPSD.LIRT



Product Name	Description
SharpDrain® Linear Tile Insert and Panel	Replacement brushed Stainless Steel Tile Insert and Frame Set For SharpDrain®
Order Reference	600 SDTP.0600.FINISH.SS 700 SDTP.0700.FINISH.SS 800 SDTP.0800.FINISH.SS 900 SDTP.0900.FINISH.SS 1000 SDTP.1000.FINISH.SS 1200 SDTP.1200.FINISH.SS

For SharpDrain® only.



Product Name	Description
SharpDrain® Linear Tile Line	Replacement Tile Line component to tile onto.
Order Reference	600 SDTL.0600.FINISH.SS 700 SDTL.0700.FINISH.SS 800 SDTL.0800.FINISH.SS 900 SDTL.0900.FINISH.SS 1000 SDTL.1000.FINISH.SS 1200 SDTL.1200.FINISH.SS

For SharpDrain® only.



Product Name	Description
SharpDrain® Pro Linear Tile Insert and Panel	Replacement Brushed Stainless Steel Tile Insert / Panel and Frame Set For SharpDrain® Pro only.
Order Reference	500 PSDTP.0500.FINISH.SS 600 PSDTP.0600.FINISH.SS 700 PSDTP.0700.FINISH.SS 800 PSDTP.0800.FINISH.SS 900 PSDTP.0900.FINISH.SS 1000 PSDTP.1000.FINISH.SS 1100 PSDTP.1100.FINISH.SS 1200 PSDTP.1200.FINISH.SS 1500 PSDTP.1500.FINISH.SS

For SharpDrain® Pro only.




Product Name	Description
SharpDrain® Pro Linear Tile Line	Replacement Tile Line component to tile onto for SharpDrain® Pro only.
Order Reference	500 PSDTL.0500.FINISH.SS 600 PSDTL.0600.FINISH.SS 700 PSDTL.0700.FINISH.SS 800 PSDTL.0800.FINISH.SS 900 PSDTL.0900.FINISH.SS 1000 PSDTL.1000.FINISH.SS 1100 PSDTL.1100.FINISH.SS 1200 PSDTL.1200.FINISH.SS 1500 PSDTL.1500.FINISH.SS


For SharpDrain® Pro only.



## Wooden Floor | Installation Video on [www.wetroommaterials.com](http://www.wetroommaterials.com)



## Concrete Floor | Installation Video on [www.wetroommaterials.com](http://www.wetroommaterials.com)

















# PRICE LIST

Scan QR code on the back cover to get up to date prices

For full Terms and Conditions please visit:  
[wetroommaterials.com/retailer-and-customer-terms-conditions](http://wetroommaterials.com/retailer-and-customer-terms-conditions)







**wm**  
wetroom materials

**WM | Wetroom Materials**

Derwentside  
25 Town Street  
Duffield  
Belper  
Derbyshire  
DE56 4EH  
England  
+44 (0) 1332 840 820

**WM | Wetroom Materials**

Unit E1  
Ballymount Ind Est  
Walkinstown  
Dublin  
Co. Dublin  
D12 WR60  
Ireland  
+353 (0)1 297 3488

[sales@wetroommaterials.com](mailto:sales@wetroommaterials.com)  
[www.wetroommaterials.com](http://www.wetroommaterials.com)